

# Quality




**Cone style bearing heaters (non-induction)** 

- Extend bearing life and cut operating cost by eliminating hammering and pounding to cold-mount bearings. Works on bearings, sprockets, gears, couplings & sleeves
- Lower cost than larger induction heaters
- Lightweight and portable
- No special wiring or set up
- Start and stop with a switch
- Flexible: one cone bearing heater fulfills a range of bearing sizes
- Temperature control on -CB versions

#### **Market Applications:**

- Service centers and repair truck fleets
- Flexible manufacturing repairs for press-fit applications



\*\*Comes with control box.





## All-steel bar clamps for industrial applications





## OMEGA bend clamps, RSC series

■ Patented OMEGA bend maintains its positive clamping pressure longer under heavy vibration than a conventional clamp.

Durable, lightweight and easy to use.

|        | Clamping<br>Capacity | Throat<br>Depth | Clamping<br>Force | Price   |
|--------|----------------------|-----------------|-------------------|---------|
| RSC-12 | 12"                  | 5 ½"            | 1100 lbs          | \$54.99 |





- A versatile clamp or spreader.
- Spindle mechanism is on the back side of the sliding arm - out of the work area.
- V-grooved, cast iron pressure plate swivels up to 30°.
- Jaw reverses to act as a spreader.

|      | Clamping<br>Capacity | Throat<br>Depth | Clamping<br>Force | Price    |
|------|----------------------|-----------------|-------------------|----------|
| CL24 | 24"                  | 4 3/4"          | 1775 lbs          | \$156.89 |



#### Newsletter sıqn up!

Email your request to info@besseytools.com or scan the QR code!



#### Join us on... facebook.com/BesseyToolsNorthAmerica

twitter.com/BessevTools youtube.com/user/BesseyTools besseytools.com



### All-steel bar clamps





- Set up an estimated 9X faster than a c-clamp.
- Quickly move the sliding arm to the point of application, tighten the handle and ready to work in seconds!

Simply better.

Comes with: Patented rail profile, MorPad, ergonomic BESSEY® grip.


|          | Clamping<br>Capacity | Throat<br>Depth                 | Clamping<br>Force | Price    |
|----------|----------------------|---------------------------------|-------------------|----------|
| 1800-S8  | 8"                   | 4 <sup>3</sup> / <sub>4</sub> " | 1980 lbs          | \$92.69  |
| 1800-S12 | 12"                  | 4 3/4"                          | 1980 lbs          | \$97.83  |
| 1800-S18 | 18"                  | 4 3/4"                          | 1980 lbs          | \$102.99 |
| 1800-S24 | 24"                  | 4 3/4"                          | 1980 lbs          | \$112.26 |



### Shop floor, light to medium duty, 1200-S series

- Upgraded rail profile and force with optimized sliding arm.
- Comes with: Patented rail profile, replaceable swivel pads.

|          | Clamping<br>Capacity | Throat<br>Depth | Clamping<br>Force | Price   |
|----------|----------------------|-----------------|-------------------|---------|
| 1200-S8  | 8"                   | 5 ½"            | 1320 lbs          | \$55.42 |
| 1200-S12 | 12"                  | 5 ½"            | 1320 lbs          | \$59.45 |
| 1200-S18 | 18"                  | 4 3/4"          | 1320 lbs          | \$62.47 |
| 1200-S24 | 24"                  | 4 3/4"          | 1320 lbs          | \$65.49 |



SLV

GSV300M

1 3/16" x 5/8"

118"

5 1/2"

2.000 lbs

\$349.99



## SuperGrips with profiled rail, SG

- It's a grip plier and clamp all in one tool, quick adjustment - fast and easy set-up
- Lock into place the clamp holds while you work.
- Adjustable top handle adjusts clamping force
- Adjustable bottom handle adjusts jaw angle (up to 7°) for clamping tapered parts
- Sturdy cold drawn, profiled steel rail






|     | Clamping<br>Capacity | Throat<br>Depth | Clamping<br>Force | Price   |
|-----|----------------------|-----------------|-------------------|---------|
| SG4 | 4"                   | 2 1/2"          | 440 lbs           | \$58.99 |
| SG8 | 8"                   | 2 ½"            | 440 lbs           | \$68.99 |



#### heavy duty one-hand clamp PowerGrip, PG Simply better.

- A truly one-handed clamp that is easy to use
- in place; then simply turn the handle to apply full pressure ■ Easy slide button positions the jaw quickly; squeeze the handle to hold the clamp
- Comes with removable soft pressure caps











## Pipe clamps

wence threaded screw ■

#### NGep reach, PC-DR

- Multiple clutch plates
- Easy assembly



66.31\$

| 66.E1\$ | .% <b>l</b>     | " <sup>7</sup> /ι      | BPC-H12 |
|---------|-----------------|------------------------|---------|
| 66.31\$ | %₁ <b>Z</b>     | " <sub>\$</sub> /ε     | BPC-H34 |
| 93ir9   | tsordT<br>dtqsD | Black Pipe<br>Diameter |         |
| _       |                 |                        |         |

66**U** 

Extra high base

JYB, 9lyts H

for dual-axis stability

■ Economical alternative to bar clamps

■ "H" foot stabilizes clamp in 2 dimensions

## A840 , sqinZiJluM

3/4,,,

PC34-DR

- Stainless steel, offset blade ■ Made for everyday light duty use
- Spring opens cutter automatically, thumb lock

|           | 93in <b>9</b> | 9bs18<br>Atnas 1 | Uverall<br>Atnos I |       |
|-----------|---------------|------------------|--------------------|-------|
| NOOL GILL | מום ללווחסווו | ממנטוות          | ana cuada          | Suudo |

| 66.6\$ | " <sup>8</sup> /ε <b>ι</b> | ,,²/, <b>L</b>    | A84a |
|--------|----------------------------|-------------------|------|
| ээілЧ  | Length<br>Blade            | Overall<br>Length | 707( |



## Folding utility knife with wood handle

■ Spring blade release ■ Uses standard blades – easy change quick blade exchange mechanism

Includes folding and locking blade with belt-clip

\$15.99 "<sup>†</sup>/ι Ζ "⁵/₁ 9 D-BKMH Overall



66'61\$

### SMW, consuper Magnetic

.% ₹

1110 lbs \$115.81


1110 lbs **\$102.48** sdl 009

sdl 004

12.37\$

6p.12\$

work at set angles blod of stangem alqmi2 -





**CSH20** 

**C2H30** 

**C2HSD** 

**GSH12** 

plastic-coated release for comfort and power ■ Ergonomically shaped powder-coated clamping lever and

Strong – high clamping force up to 1110 lbs.

action lever bar clamps

-biger HZD Xizzelo

■ Forged sliding arm

■ Non-slip trigger release ■ Secure - unaffected by vibrations

١٦"

..8

Clamping Vibacity

## MX , edmblo pring clamps, XM

| 67.1 <b>\$</b><br>68.2 <b>\$</b><br>64.1 <b>\$</b> | 3 ½10<br>"4/1 Z<br>"4/1 l | 3".<br>"I            | TAN-SMX<br>TAN-GMX<br>TAN-YMX |
|--|---------------------------|----------------------|-------------------------------|
| өэітЧ  | tsordT<br>dtqsO           | gniqmelJ<br>YtiseqeJ |                               |






# Quality

Simply better.

Distributed by:













- Can be used with a bar clamp with rails up to 1/2" thick.



| 7   | <b>1</b> |
|-----|----------|
| I I | 1        |







C2CC3.536+2K

GSCC3.524+2K

GSCC3.518+2K

GSCC3.512+2K

GSCC3.506+2K

2K comfort handle

on the top and bottom jaws. Non-marring protective pads

workers and homecrafters.

idn ubis

Newsletter

76.er\$

**76.21\$** 

**76.41**\$

76.512

66.11\$

1100 lbs

1100 lbs

1100 lbs

1100 lbs

1100 lbs

3 ⅓,

.% €

3 1/2...

.% €

2 piece slip-clutch plates keep the jaw sturdy and in place.

និកិ

■ Light as a feather – tough as nails – perfect for your workshop.

Regular-duty clamp for cabinet makers, woodworkers, metal

260 lbs

**500 lbs** 

**500 lbs** 

260 lbs

Clamping Force

66.rs

66.02\$

66.61\$

66.81**\$** 

PIICE

5۲.,

18

١5..

"9

Capacity YibeqeJ